



# NEPHELO

CERAMIQUE  
Land of Great Ceramic & Tiles



## **NEPHELO METALLO**

Multiple layouts reproduce the lively texture of natural rock to heighten natural effect after installing.









**CERAMIQUE**  
Land of Great Ceramic & Tiles

## **NEPHELO NERO**

Multiple layouts reproduce the lively texture of natural rock to heighten natural effect after installing.



**CERAMIQUE**  
Land of Great Ceramic & Tiles

**NEPHELO NERO**  
FLOOR: 600X600mm



**CERAMIQUE**  
Land of Great Ceramic & Tiles

NEPHELO NERO  
FLOOR: 600X600mm

## **NEPHELO PALE**

Multiple layouts reproduce the lively texture of natural rock to heighten natural effect after installing.





**CERAMIQUE**  
Land of Great Ceramic & Tiles

NEPHELO PALE  
FLOOR: 600X600mm



**CERAMIQUE**  
Land of Great Ceramic & Tiles

**NEPHELO PALE**  
FLOOR: 600X600mm

## **NEPHELO SECONDO**

Multiple layouts reproduce the lively texture of natural rock to heighten natural effect after installing.



NEPELO SECONDO

FLOOR: 600X600mm



CERAMIQUE  
Land of Great Ceramic & Tiles



## SURFACE



LAPATO (S)



GRANIGLIA (FINE GRAINED) (G)



MATT (M)

## CORE TECHNOLOGY



**Micro-Engraving Technology** - Represent the lively texture of rocks. Originated from Italy design, Italy Rock series has adopted the micro-engraving technology to represent the texture effect on the surface of the tiles, lively as natural rock.



**Numerous surface in One Rock** - Heighten the natural effect with multiple layouts. Italy Rock series has adopted multi-edition positional output technology to guarantee numerous layouts in every product and used various compound techniques to produce multiple surface effect, heighten the natural effect after installing.



**Three-Dimensional Inkjet Technology** - Reproduce Nature color. Using the advanced inkjet equipment and glaze technology to extend the color gamut, the natural color of Rock has been reproduced in Nanogress Italy Rock series.



**High Definition Effect** - Reproduce a real rock. Italy Rock, originated from Italy as its name suggests, realistically reproduces the natural landscape of rock in Italy with its vivid and multiple surface.


■ SIZE (mm)

NEPHELO METALLO



600X600 24'X24'

NEPHELO NERO




600X600 24'X24'

NEPHELO PALE




600X600 24'X24'


NEPHELO SECONDO




600X600 24'X24'




MA1  
300X300mm




MA2  
300X300mm




MA3  
300X300mm




MA5  
326X316mm




MA16S  
330X305mm




MA17  
320X330mm




MA18  
330X330mm




MA19  
300X300mm




MA6  
330X305mm




MA7  
350X305mm




MA8  
390X310mm




MA9  
300X300mm




MA20  
290X290mm




MA21  
280X280mm




MAT1  
285X285mm




MG5  
325X315mm




MA10  
810X275mm




MA11  
338X335mm




MA12  
300X300mm




ML10  
316X300mm




ML12  
300X300mm




LISTELLO FXB3611  
365X113mm




CORNER FXB1814  
180X140mm




MA13  
250X250mm




MA14  
305X300mm




MA15  
320X300mm




MA16H  
330X305mm




LISTELLO FXB1516  
565X167mm



CORNER FXA1623  
166X230mm



OUTSIDE CORNER T3010  
300X100mm  
OUTSIDE CORNER T306  
300X60mm



INSIDER CORNER N3010  
300X100mm  
INSIDER CORNER N306  
300X60mm

## TECHNICAL SPECIFICATION

	DESCRIPTION	STANDARD OF TEST	ISO STANDARD REQUIREMENT	NANOGRESS STANDARD
	SIZES	ISO 10545.2	LENGTH AND WIDTH THICKNESS EDGE CURVATURE CENTER CURVATURE WARPAGE ± 0.6% ± 5% ± 0.5% ± 0.6% ± 0.5%	± 0.2% ± 2% ± 0.2% ± 0.2% ± 0.2%
	WATER ABSORPTION	ISO 10545.3	R <sub>60</sub> 5%	0.03%
	STRENGTH	ISO 10545.4	MODULUS OF RUPTURE BREAKING STRENGTH R <sub>m</sub> ≥35/MPa S <sub>2</sub> ≥1300N	55N/MM <sup>2</sup> >1700N
	SURFACE ABRASION	ISO 10545.7	ACCORDING TO MANUFACTURER'S DATA	MIN PEI 3
	COEFFICIENT OF LINEAR THERMAL EXPANSION	ISO 10545.8	TEST METHOD AVAILABLE	6.5X10 <sup>-6</sup> °C <sup>-1</sup>
	RESISTANCE OF THERMAL SHOCK	ISO 10545.9	TEST METHOD AVAILABLE	GUARANTEED
	FROST RESISTANCE	ISO 10545.12	REQUIRED	REQUIRED
	CHEMICAL RESISTANCE	ISO 10545.13	MANUF. TO STATE	MANUF. TO STATE
	STAIN RESISTANCE	ISO 10545.14	CLASS 3 MIN	CLASS 3 MIN

## PACKING DETAILS

SIZE (mm)	PCS/BOX	W/BOX	KGS/BOX	BOXES/PALLET	PCS/PALLET	W/PALLET	KGS/PALLET	BOXES/CNT	W/CNT	KGS/CNT
150X90 6'X36"	10	1.35	32.10	36	360	48.60	1156	828	1117.80	26579
200X90 8'X36"	9	1.62	38.50	40	360	64.80	1540	700	1134.00	26950
300X90 12'X36"	4	1.08	27.50	56	224	60.48	1540	952	1028.16	26180
600X90 24'X36"	3	1.62	38.50	40	120	64.80	1540	700	1134.00	26950
900X90 36'X36"	2	1.62	42	38	76	61.56	1596	608	984.96	25526
900X450 36'X18"	4	1.62	43	44	176	71.28	1892	616	997.92	26488
150X600 6'X24"	11	0.99	22.50	54	594	53.46	1215	1188	1176.12	26730
300X300 12'X12"	11	0.99	22.50	54	594	53.46	1215	1188	1176.12	26730
300X600 12'X24"	8	1.44	32.50	40	320	57.60	1300	820	1180.80	26880
600X600 24'X24"	4	1.44	32.50	40	160	57.60	1300	820	1180.80	26880
600X1200 24'X36"	2	1.44	41.50	52	104	74.88	2184	635	914.40	26070
900X1800 36'X72"	2	3.24	62.00	30	60	97.20	1890	420	1360.80	26460

The above info is for reference only

**CERAMIQUE**  
Land of Great Ceramic & Tiles