ROCK CULTURE

classic & natural





CERAMIQUE








ITALY ROCK

classic & natural







It is a distinct bold painting with rich layering. Slightly draw a few strokes Making the edges and corners of the rocks, full of miraculous charming



It is the closest place of human world to the heaven Or , it is the closet place of heaven to the human world. beauty and purity most touching <Cinque terre>



HORN has variegated colors from Cinque Terre, a blend of modern Italian life and trend of back-to-ancients. The looming rhinoceros horn marks in the finished products return the firm charm to the original and simple life.









HORN-Y HORN-W

HORN

Italy Rock

Sizes: 600x600 mm

Thickness: ——— 10 mm

Random: 12 Faces


Surface: Grained Semi-Polished













CLOUD

Italy Rock

Sizes: 600x600 | 600x1200 mm

Thickness: ——— 10 mm

Random: 1218 Faces


Surface: Grained Semi-Polished












CLOUD-D

Dark gray which is the sediment of the history and dark yellow that reflects the unyielding spirit intertwine in the classical rustic texture, recording the grand and brilliant history of Pompeii, restoring city of Pompeii in the most authentic way.



Inspired by life in Napoli, it is the combination of free and romantic colors and unrestrained texture. Through the multi-channeled color scheme, the tile can present colors with a high technical level such as oxford gray and neutral gra



DISENGAGED

Italy Rock

Sizes: 600x600 | 600x1200 mm

Random: 1218 Faces


Surface: G Grained S Semi-Polished












DISENGAGED - D





EARTH COLORS

Italy Rock

Sizes: 600x600 | 600x1200 mm

Random: 1218 Faces

Surface: Grained Semi-Polished













Through its most original character and rigorous technological transformation, this tile reproduces the moving, pure and extreme nature of Livorno Rock without losing its spirituality.



COSTA ROCK

classic & natural





The main lines of COMODO are the traces of waves crashing into and infiltrating the rocks, adorned with the remains of white shellfish. COMODO, generally speaking, is more of the light and moist rock texture, with five kinds of color close to sand, which shows a delight of life with both enthusiasm and leisure.

COMODO

Costa Rock

Sizes: 600x600 | 600x1200 mm

Thickness: ——— 10 mm

Random: 12 | 10 Faces


Surface : Matt Lapato H Honed













AMERICA ROCK

classic & natural





TARDIVO

Cement Culture

Sizes: 600x1200 mm

Thickness: ____ 10 mm

Random: 6 Faces Surface: Grained














TARDIVO is inspired by EL CAPITAN. After hundreds of thousands of years, it is still as solemn as poetry. Like a thinking giant, it quietly witnessed the turbulent vicissitudes in the world. What always remains unchanged is its tolerance and indifference that after all the years, accommodates everything in the mountains and rivers. Ancestral cliffs, with distinct lines, mountains, waters show their figures one by one in TARDIVO, indifferently and rather calmly, meanwhile, it also contains a torrent of surging.










MAT1 285X285mm



ML11 316X300mm GLASS



GLASS


ML10 316X300mm



LISTELLO FXB3611 365X113mm

CORNER FXB1814 180X140mm


MG5 325X315mm







CORNER FXA1623 166X230mm



OUTSIDE CORNER T3010 300X100mm OUTSIDE CORNER T306 300X60mm



INSIDER CORNER N3010 300X100mm INSIDER CORNER N306 300X60mm

TECHNICAL SEPCIFICATIONS

	DESCRIPTION	STANDARD OF TEST	ISO STANDARD REQUIREMENT	NANOGRESS STANDARD	
			LENGTH AND WIDTH ± 0,6%	± 0,2%	
			THICKNESS ± 5%	± 2%	
	SIZES	ISO 10545.2	EDGE CURVATURE ± 0,5%	± 0,2%	
AI)			CENTER CURVATURE ± 0,6%	± 0,2%	
			WARPAGE ± 0,5%	± 0,2%	
000	WATER ABSORPITON	ISO 10545. 3	E≤0,5%	0,04%	
1	TOTAL TOTAL	The second state of the second	MODULS OF RUPTURE R≥35/MM²	55N/MM²	
	STRENGTH	ISO 10545. 4	BREAKING STRENGTH S≥1300N	>1700N	
de la constante de la constant	SURFACE ABRASION	ISO 10545. 7	ACCORDING TO MANUFACTURER'S DATA	MIN PEI 3	
Ð	COEFFICIENT OF LINEAR THERMAL EXPANSION	ISO 10545. 8	TEST METHOD AVAILABLE	6.5X10 ⁻⁶ C ⁻¹	
	RESISITANCE TO THERMAL SHOCK	ISO 10545. 9	TEST METHOD AVAILABLE	GUARANTEED	
	FROST RESISTANCE	ISO 10545. 12	REQUIRED	REQUIRED	
	CHEMICAL RESISTANCE	ISO 10545. 13	MANUF.TO STATE	MANF.TO STATE	
2	STAIN RESISTANCE	ISO 10545, 14	CLASS 3 MIN	CLASS 3 MIN	

SIZE(mm)	PCS/BOX	M ² /BOX	KGS/BOX	BOXES/PALLET	PCS/PALLET	M ² /PALLET	KGS/PALLET	BOXES/CNT	M ² /CNT	KGS/CNT
150X900 6'X36'	10	1.35	32.10	36	360	48.60	1156	828	1117. 80	26579
200X900 8'X36'	9	1.62	38.50	40	360	64.80	1540	700	1134.00	26950
300X900 12'X36'	6	1.62	38. 50	40	240	64.80	1540	700	1134.00	26950
600X900 24'X36'	3	1.62	38. 50	40	120	64.80	1540	700	1134.00	26950
150X600 6'X24'	11	0.99	22.50	54	594	53. 46	1215	1188	1176.12	26730
300X300 12'X12'	11	0.99	22.50	54	594	53.46	1215	1188	1176.12	26730
300X600 12'X24'	8	1.44	32.50	40	320	57. 60	1300	820	1180.80	26880
600X600 24'X24'	4	1.44	32.50	40	160	57.60	1300	820	1180.80	26880

