ROCK CULTURE

classic & natural





ROCK CULTURE

Designed to Inspire






ITALY ROCK

classic & natural







It is a distinct bold painting with rich layering. Slightly draw a few strokes Making the edges and corners of the rocks, full of miraculous charming



It is the closest place of human world to the heaven Or , it is the closet place of heaven to the human world. beauty and purity most touching <Cinque terre>



HORN has variegated colors from Cinque Terre, a blend of modern Italian life and trend of back-to-ancients. The looming rhinoceros horn marks in the finished products return the firm charm to the original and simple life.





HORN-Y

HORN-W

HORN	Italy Rock
Sizes : 600x600 mm	
Thickness: 10 mm	
Random : 12 Faces	
Surface: G Grained S Semi-Polished	





CLOUD Italy Rock Sizes : 600x600 I 600x1200 mm Thickness : ______ 10 mm Random : 12 I 8 Faces Italy Rock Surface : G Grained S Semi-Polished Italy Rock




CLOUD-D

Dark gray which is the sediment of the history and dark yellow that reflects the unyielding spirit intertwine in the classical rustic texture, recording the grand and brilliant history of Pompeii, restoring city of Pompeii in the most authentic way.



Inspired by life in Napoli, it is the combination of free and romantic colors and unrestrained texture. Through the multi-channeled color scheme, the tile can present colors with a high technical level such as oxford gray and neutral gra



DISENGAGED

Sizes : 600x600 | 600x1200 mm

Thickness :

∎ ⊐— 10 mm


Random : 12 | 8 Faces

Surface: G Grained





Italy Rock




DISENGAGED - D






EARTH COLORS-LG


EARTH COLORS-YG





EARTH COLORS-DG








Through its most original character and rigorous technological transformation, this tile reproduces the moving, pure and extreme nature of Livorno Rock without losing its spirituality.




COSTA ROCK


classic & natural





The main lines of COMODO are the traces of waves crashing into and infiltrating the rocks, adorned with the remains of white shellfish. COMODO, generally speaking, is more of the light and moist rock texture, with five kinds of color close to sand, which shows a delight of life with both enthusiasm and leisure.







AMERICA ROCK

classic & natural



TARDIVO

Cement Culture

Sizes : 600X600 | 600x1200 mm

Thickness : _____ 10 mm

Random : 6 Faces

Surface: G Grained





TARDIVO is inspired by EL CAPITAN. After hundreds of thousands of years, it is still as solemn as poetry. Like a thinking giant, it quietly witnessed the turbulent vicissitudes in the world. What always remains unchanged is its tolerance and indifference that after all the years, accommodates everything in the mountains and rivers. Ancestral cliffs, with distinct lines, mountains, waters show their figures one by one in TARDIVO, indifferently and rather calmly, meanwhile, it also contains a torrent of surging.





TRADIVO N BEIGE

TRADIVO BIANCO TR


TRADIVO BEIGE

TRADIVO GRIGIO





NE TRADIVO NERO



MA10 81000275mm





MA14 305×300mm



MA165 380/805ms











MA16H ROEKOESmin



П

ш

MA19 8000308mm






ML10 315/500996






ML12 SUKSOWA



DLABB



LISTELLO FXB3611 3653115995



35,435

OLANI GLABS

CORNER FX31614 1508740mm

NG5 520015mm



LISTELLO EXBISIS GES CHET YOU

CORNER FXA1623 1000200mm



OUTSIDE CORNER Tabla 300K380ww DUTSIDE CORNER 1386 SOKSimm



INSIDER CORNER NSC10 \$80000100mm NEIDER CORKER NICE MICCOROTYT

TECHNICAL SEPCIFICATIONS

	DESCRIPTION	STANDARD OF TEST	ISO STANDARD REQUIREMENT	HANOGRESS STANDARD		
۲	3600	IGO 10945.2	LENGTH AND WIDTH & C.IM THICKNESS 40% EDGE GURVATURE 1 05% CENTER CURVATURE 1 05% WARPAGE 0 03%	16,1% - 1% 16,1% 16,1% +6,1%		
689	WATER ASSORPTION	IGO 10545.2	10 5	64-5		
Ð	STRENGTH	180-10545.4	MODULS OF RUPTURS Resolute" BREAKING STRENGTH 0c1005	65447484 [°] +13064		
Ð	SURFACE ABRASION	IGO 10645.7	ADCORDING TO MANUFACTURE IN SMITA	MAPLE		
\oplus	COSFFICIENT OF LINEAR THERMAL EXPANSION	180 10545.8	TEST WETHOD AVAILABLE	6.6319°C		
۲	RESISITANCE TO THERMAL SHOCK	ISD 10545.9	TEST WETHOD AVAILABLE	CHARANTERS		
۲	FROST RESISTANCE	ISD 10545.12	REQUIRED	ROQUIRDD		
	CHEMICAL RESISTANCE	150-10545.13	MANUE TO STATE	NAME TO STATE		
6	STAIN RESISTANCE	ISD 10545. M	CLASS 2 MIN	FLANS 3MIN		

\$128 (mm)	P03/80X	W/80X	K63/80X	EORES/PALLET	PCS/PALLET	N/PALLET	K03/PALLET	BOXES/GNT	B/CMI	Ne3/CNT
	Ø	Ť	Ť		S.	- Se	S.			
150K000 (X05	10	1.35	32.10	35	360	48.60	1156	82.8	1117.00	29579
20EX930 FX8E	s	1. 52	38.E0	43	360	54. 8D	1540	70.0	1134,00	28960
30EX900 17201	e	1. 52	38, 51	43	240	54.83	1528	70.0	1134.00	26950
60EX930 54%/6"	3	1. 92	30.50	42	120	\$4.00	1540	70.0	1134.00	20550
195X930 17524	11	Q. 99	22.50	54	59.4	53.46	1215	1188	1176.12	26730
10EX100 177.0	11	0.99	22.50	51	59.4	53, 45	1215	1188	1176.12	26730
105X630 17334	8	1.44	32.50	43	320	57.60	1300	820	1180.80	28880
60EX.630 347.54*	4	1.44	32.50	43	160	57.60	1300	820	1180.80	28880

CERAMIQUE

INTER HOMECARE CO.,LTD. 1768 Bangna-Trad Rd., Bangna, Bangna, Bangkok 10260 Tel : +66(0)2746-7122 Fax : +66(0)2746-7324

INTER SANITARY CERAMIC CO.,LTD. 241 Ratchadaphisek Rd., Dindaeng, Bangkok 10400 Tel : +66(2)276-4611 Fax : +66(2)693-6931, +66(2)277-1433

www.ceramique.me www.facebook.com/ceramique.me