





**CERAMIQUE**  
Land of Great Ceramic & Tiles



FR-C22A001

**TERRAZZO MONO COLOR**











## Galaxy

### Sizes

600x1200mm  
24"x48"

750x1500mm  
30"x60"

### Finishes

▸ 5° *Matt*

▸ 30° *Honed*



10  
*Colours*





# G1


## LUNAR GRAY


12 / Faces

Product

600x1200mm / 24"x48"

750x1500mm / 30"x60"

 5° Matt

 30° Honed



100% Porcelain



Residential



Commercial



Interior



Thickness : 10 mm





**G1LUNAR GRAY** Wall/Floor : G1 600x1200 / 24"x48"



G2


# MERCURY BEIGE

12 / Faces

Product

600x1200mm / 24"x48"

750x1500mm / 30"x60"



5° Matt



30° Honed



100% Porcelain



Residential



Commercial



Interior



Thickness : 10 mm





**G2MERCURY BEIGE** Floor : G2 750x1500 / 30"x60"



# G3

## PLANET CAMEL

12 / Faces

Product

600x1200mm / 24"x48"

750x1500mm / 30"x60"



5° Matt



30° Honed



100% Porcelain



Residential



Commercial



Interior



Thickness : 10 mm







G3PLANET CAMEL Wall+Floor : G3 600x1200 / 24"x48"



# G4


## SOLAR BROWN

12 / Faces

Product

600x1200mm / 24"x48"

750x1500mm / 30"x60"



5° Matt



30° Honed



100% Porcelain



Residential



Commercial



Interior



Thickness : 10 mm





**G4SOLAR BROWN** Wall+Floor : G4 600x1200 / 24"x48"



# G5

## SATURN TAUPE

12 / Faces

Product

600x1200mm / 24"x48"

750x1500mm / 30"x60"



5° Matt



30° Honed



100% Porcelain



Residential



Commercial



Interior



Thickness : 10 mm







**G5Saturn Taupe** Wall : G5 600x1200 / 24"x48"  
U0 600x1200 / 24"x48"  
Floor : G5 600x1200 / 24"x48"



# G6

## MERCURY BLUE

12 / Faces

Product

600x1200mm / 24"x48"

750x1500mm / 30"x60"



5° Matt



30° Honed



100% Porcelain



Residential



Commercial



Interior



Thickness : 10 mm





**G6MERCURY BLUE** Wall : G6 : 600x1200 / 24"x48"  
U0 600x1200 / 24"x48"  
Floor : U15 600x1200 / 24"x48"



# G7

## NOVA PINK

12 / Faces

Product

600x1200mm / 24"x48"

750x1500mm / 30"x60"



5° Matt



30° Honed



100% Porcelain



Residential



Commercial



Interior



Thickness : 10 mm





**G7NOVA PINK** Wall/Floor : G7 600x1200 / 24"x48"



# G8


## JUPITER GOLD

12 / Faces

Product

600x1200mm / 24"x48"

750x1500mm / 30"x60"



5° Matt



30° Honed



100% Porcelain



Residential



Commercial



Interior



Thickness : 10 mm







**G8JUPITER GOLD** Wall : G8 600x1200 / 24"x48"  
Floor : U2 600x1200 / 24"x48"



# G9


## STELLAR GREEN

12 / Faces

Product

600x1200mm / 24"x48"

750x1500mm / 30"x60"



5° Matt



30° Honed



100% Porcelain



Residential



Commercial



Interior



Thickness : 10 mm



**G9STELLAR GREEN** Wall : G9 600x1200 / 24"x48"  
Floor : U9 600x1200 / 24"x48"



Wall : G9 750x1500 / 30"x60"  
Floor : U13 750x1500 / 30"x60"





# G10

## NEBULA BLACK

12 / Faces

Product

600x1200mm / 24"x48"

750x1500mm / 30"x60"

5° Matt

30° Honed

: 10 mm



100% Porcelain



Residential




Commercial



Interior



Thickness : 10 mm







**G10NEBULA BLACK** Wall/Floor : G10 600x1200 / 24"x48"






**G10NEBULA BLACK** Wall/Floor : G10 750x1500 / 30"x60"



# Galaxy

## 10

Colours



G1 Lunar Gray




G2 Mercury Beige



G3 Planet Camel



G4 Solar Brown



G5 Saturn Taupe




G6 Mercury Blue




G7 Nova Pink



G8 Jupiter Gold




G9 Stellar Green



G10 Nebula Black

Color shading  
V2 Slight



## 2

Finishes Sizes

± 10 mm 600x1200 / 24"x48"



5° Matt

750x1500 / 30"x60"



30° Honed















## 12

Faces






Technical Performance

		TEST METHOD	INTERNATIONAL STANDARDS	FLORINA VALUE
	LENGTH	ISO 10545-2	±0.6%, ±2.0mm	±0.1%, ±1.0mm
	WIDTH	ISO 10545-2	±0.6%, ±2.0mm	±0.1%, ±1.0mm
	THICKNESS	ISO 10545-2	±5%, ±0.5mm	±1%, ±0.3mm
	SURFACE FLATNESS	ISO 10545-2	±0.5%, ±2.0mm	±0.5%, ±2.0mm
	STRAIGHTNESS OF SIDES	ISO 10545-2	±0.5%, ±1.5mm	±0.02%, ±0.1mm
	RECTANGULARITY	ISO 10545-2	±0.5%, ±2.0mm	±0.1%, ±1.0mm
	WATER ABSORPTION	ISO 10545-3	Eb ≤ 0.5%	Eb ≤ 0.5%
			Individual maximum 0.6%	Individual maximum 0.6%
	BREAKING STRENGTH	ISO 10545-4	≥1300N	≥1300N
	MODULUS OF RUPTURE	ISO 10545-4	Minimum 35	Minimum 35
			Individual minimum 32	Individual minimum 32
	STAIN RESISTANCE	ISO 10545-14	Minimum Class 3	Class 5 Livello 5 Classe5
	ABRASION RESISTANCE	ISO 10545-7	Report abrasion class	Class 3-4
			Report cycles passed	1500
	FROST RESISTANCE	ISO 10545-12	Required	Pasa
	CRAZING RESISTANCE	ISO 10545-11	Required	Pasa
	SLIP RESISTANCE	DIN 51130	From R9 to R10	Matt R9 - R10
		DIN 51097	Class A, B and C	Matt Class B Anti-Slip Class C
		ANSI A137.1-2012	Matt μ≥0.42	Matt μ≥0.55
		AS 4586:2013 Appendix A	P0 - P5	Matt P3
		GB/T 4100-2015 Appendix M	μ≥0.5	Static friction coefficient of floor tile ≥0.5

Packing Information

						
FORMAT (mm/in)	PCS/BOX	SQM/BOX	KG/BOX	BOX/PALLET	SQM/PALLET	KG/PALLET
600x1200 24"x48"	2	1.44	35	64	92.16	2240
750x1500 30"x60"	2	2.25	53	48	108	2544

▼  
2-3mm  
▲

Before laying, it is recommended to check the color number, size and so on, in order to achieve better results; it is suggested that the special joint mixture of Florina tile be used for all products of Florina tile; There shall be a seam for paving, and it is suggested that Florina's products have a 2-3mm.