

MADE

BIG *Slab Tiles*

750x1500mm



strength






ROUGH STONE

- Materials and Art from Nature



South to North





EXPLORE



FIND



REBIRTH

Ingenious craftsmanship,
ultimate restoration

ORIGINAL



Six colours to multiply design creativity

ANCONA BIANCO-MS

PRATO BIANCO-MS

PADOVA GRIGIO-MS

PAVIA GRIGIO-MS

SICILIA SCURO-MS


FORLI SCURO-MS

The image displays a 4x3 grid of dark grey marble tiles. Each tile features a complex pattern of white and light grey veins, characteristic of natural stone. The tiles are arranged in a staggered pattern, with the joints visible between them. The overall appearance is that of a high-quality, natural stone surface.

FORLI SCURO-MS

750X1500mm

FORLI





Product design


FORLI





FORLI SCURO-MS

Original mysterious beauty,
releasing inspiration freely.





FORLI SCURO-MS



Floor Tiles




Residential



FORLI SCURO-MS



FORLI SCURO-MS



SICILIA SCURO-MS

750X1500mm




SICILIA





Product design





SICILIA SCURO-MS





SICILIA SCURO-MS



SICILIA SCURO-MS



Floor Tiles



Residential



SICILIA SCURO-MS



SICILIA SCURO-MS



PAVIA GRIGIO-MS

750X1500mm



PAVIA





Product design





PAVIA GRIGIO-MS

Following nature is the
aesthetic rule of current generation.



PAVIA GRIGIO-MS



PAVIA GRIGIO-MS



PAVIA GRIGIO-MS



Floor Tiles



Residential





PAVIA GRIGIO-MS



PAVIA GRIGIO-MS



PADOVA GRIGIO-MS

750X1500mm



PADOVA





Product design

PADOVA





PADOVA GRIGIO-MS

Design originates from life,
detail achieves quality



PADOVA GRIGIO-MS



PADOVA GRIGIO-MS



PADOVA GRIGO-MS



Floor Tiles



Commercial





PADOVA GRIGIO-MS



PADOVA GRIGIO-MS

The image displays a repeating pattern of dark grey marble tiles. Each tile is rectangular and features a complex, organic pattern of white and light grey veins. The tiles are arranged in a grid, with thin, dark grey grout lines separating them. The overall appearance is that of a high-quality, natural stone surface.

PRATO BIANCO-MS

750X1500mm

PRATO





Product design



The baptism of time,
is the best gift from nature.





PRATO BIANCO-MS



PRATO BIANCO-MS



Wall Tiles



Public





ANCONA BIANCO-MS

750X1500mm



ANCONA





Product design

ANCONA





ANCONA BIANCO-MS

Life is what we are designing,
rather than product itself.







ANCONA BIANCO-MS



Floor Tiles



Public



ANCONA BIANCO-MS



ANCONA BIANCO-MS

PRODUCT PARAMETERS

TECHNICAL SPECIFICATION

	DESCRIPTION	STANDARD OF TEST	ISO STANDARD REQUIREMENT	NANOGRESS STANDARD
	SIZES	ISO 10545.2	LENGTH AND WIDTH ± 0.6% THICKNESS ± 5% EDGE CURVATURE ± 0.5% CENTER CURVATURE ± 0.6% WARPAGE ± 0.5%	± 0.2% ± 2% ± 0.2% ± 0.2% ± 0.2%
	WATER ABSORPTION	ISO 10545.3	≤0.5%	0.03%
	STRENGTH	ISO 10545.4	MODULUS OF RUPTURE R≥35/MM ² BREAKING STRENGTH S≥1300N	55N/MM ² >1700N
	SURFACE ABRASION	ISO 10545.7	ACCORDING TO MANUFACTURER'S DATA	MIN PEI3
	COEFFICIENT OF LINEAR THERMAL EXPANSION	ISO 10545.8	TEST METHOD AVAILABLE	6.5X10 ⁻⁶ °C ⁻¹
	RESISTANCE OF THERMAL SHOCK	ISO 10545.9	TEST METHOD AVAILABLE	GUARANTEED
	FROST RESISTANCE	ISO 10545.12	REQUIRED	REQUIRED
	CHEMICAL RESISTANCE	ISO 10545.13	MANUF. TO STATE	MANUF. TO STATE
	STAIN RESISTANCE	ISO 10545.14	CLASS 3 MIN	CLASS 3 MIN

PACKING DETAILS

SIZE (mm)	PCS/BOX	M/BOX	KGS/BOX	BOXES/PALLET	PCS/PALLET	M/PALLET	KGS/PALLET	BOXES/CNT	M/CNT	KGS/CNT
	10	1.35	32.10	36	360	48.60	1156	828	1117.80	26579
	9	1.62	38.50	40	360	64.80	1540	700	1134.00	26950
	4	1.08	27.50	56	224	60.48	1540	952	1028.16	26180
	3	1.62	38.50	40	120	64.80	1540	700	1134.00	26950
	2	1.62	42	38	76	61.56	1596	608	984.96	25536
	4	1.62	43	44	176	71.28	1892	616	997.92	26488
	11	0.99	22.50	54	594	53.46	1215	1188	1176.12	26730
	11	0.99	22.50	54	594	53.46	1215	1188	1176.12	26730
	8	1.44	32.50	40	320	57.60	1300	820	1180.80	26880
	4	1.44	32.50	40	160	57.60	1300	820	1180.80	26880
	2	1.44	37.50	56	112	80.64	2100	640	921.60	24000
	2	3.24	62.00	30	60	97.20	1890	420	1360.80	26460
	6	1.44	34.00	31	186	44.64	1054	682	982.08	23188
	2	2.25	55	33	66	74.25	1815	420	945	23100

